## AUTHOR INDEX

Abaas, S., *see* Elsheikh, L.E. et al.
Adair, B.M. and McFerran, J.B. (Belfast, U.K.)
Differences in fluorescent antibody staining of bovine respiratory syncytial virus-infected cells by ovine and bovine sera . . . . . 87
Alvarez, M., *see* Suarez, S. et al.
Anderson, I.E. (Edinburgh, Gt. Britain)
Comparison of some ovine *Chlamydia psittaci* isolates by indirect immunofluorescence . . . . . 69
Anger, H.S., *see* Thomas, L.H. et al.
Baba, K., *see* Hohdatsu, T. et al.
Baker, P.K., *see* Rhodes, M.B. et al.
Banks, J., *see* Edwards, S. et al.
Bergman, R., *see* Rivera, E. et al.
Boldur, I. (Zerifin, Israel), Sompolinsky, D. (Zerifin, Ramat Aviv and Ramat Gan, Israel), Cohen, A. and Tamarin-Landau, R. (Beth Dagan, Israel)
Isolation of *Legionella pneumophila* from calves and the prevalence of antibodies in cattle, sheep, horses, antelopes, buffaloes and rabbits . . . . . 313
Botero, L., *see* García, D. et al.
*see* Liprandi, F. et al.
Boulay, G., *see* Trudel, M. et al.
Bowden, R.A., *see* Cerone, S.I. et al.
Boyce, J.R., *see* Rumschlag, H.S. and Boyce, J.R.
Brogden, K.A., *see* Cutlip, R.C. et al.
Brownlie, J., *see* Howard, C.J. et al.
Burger, D., *see* Sriranganathan, N. and Burger, D.
Calisher, C.H., *see* McConnell, S. et al.
Cavazza, M.-E., *see* García, D. et al.
*see* Liprandi, F. et al.
Cerone, S.I., Parma, A.E., Bowden, R.A. and Santisteban, C.G. (Tandil, Argentina)
Kinetic analysis of cattle anti-*Brucella abortus* S45/20 non-agglutinating antibodies in antibody-dependent cell-mediated cytotoxicity . . . . . 273
Chasey, D., *see* Edwards, S. et al.
Clarke, M.C., *see* Howard, C.J. et al.
Cohen, A., *see* Boldur, I. et al.
Corbeil, L.B., *see* Wickstrom, M.L. et al.
Cranage, M.P., *see* Edwards, S. et al.
Crandell, R.A., *see* McConnell, S. et al.
Cutlip, R.C., Lehmkuhl, H.D., Brogden, K.A. and Schmerr, M.J.F. (Ames, IA, U.S.A.)
Failure of experimental vaccines to protect against infection with ovine progressive pneumonia (maedi-visna) virus . . . . . 201
Cybinsky, D.H. (Brisbane, Qld., Australia)
Homologous and heterologous antibody reactions in sera from cattle naturally infected with bovine ephemeral fever group viruses . . . . . 1
Duffus, W.P.H., *see* O'Brien, J.K. and Duffus, W.P.H.
Edwards, S., Chasey, D., Napthine, P., Banks, J., Hewitt-Taylor, C. (Weybridge, Gt. Britain) and Cranage, M.P. (Cambridge, Gt. Britain)
A comparison of three rapid diagnostic methods for the detection of rotavirus infection in calves . . . . . 19

Edwards, S. and Gitao, G.C. (Weybridge, Gt. Britain)
Highly sensitive antigen detection procedures for the diagnosis of infectious bovine rhinotracheitis: amplified ELISA and reverse passive haemagglutination. . . 135
Eguchi, M., *see* Kishima, M. et al.
Eiguchi, Y., *see* Hohdatsu, T. et al.
Elsheikh, L.E. (Uppsala, Sweden), Kronevi, T. (Solna, Sweden), Wretlind, B. (Stockholm, Sweden), Abaas, S. (Huddinge, Sweden) and Iglewski, B.H. (Portland, OR, U.S.A.)
Assessment of elastase as *Pseudomonas aeruginosa* virulence factor in experimental lung infection in mink . . . . . 281
Esparza, J., *see* García, D. et al.
*see* Liprandi, F. et al.
Farquhar, C.F., *see* Fraser, H. and Farquhar, C.F.
Fraser, H. and Farquhar, C.F. (Edinburgh, Gt. Britain)
Ionising radiation has no influence on scrapie incubation period in mice . . . . . 211
Friedman, R.M., *see* Panigrahi, P. et al.
Frost, A.J., *see* Opdebeeck, J.P. et al.
García, D., Gorziglia, M., Liprandi, F., Esparza, J., Cavazza, M.-E., Urbina, G. (Caracas, Venezuela) and Botero, L. (Maracaibo, Venezuela)
Preliminary characterization of *Escherichia coli* isolated from pigs with diarrhoea in Venezuela . . . . . 47
García, D., *see* Liprandi, F. et al.
Gay, C.C., *see* Wickstrom, M.L. et al.
Gitao, G.C., *see* Edwards, S. and Gitao, G.C.
Glávits, R., *see* Moscári, E. et al.
Gorziglia, M., *see* García, D. et al.
*see* Liprandi, F. et al.
Hewitt-Taylor, C., *see* Edwards, S. et al.
Hiramune, T., *see* Kudo, Y. et al.
Hirano, N., Sato, F., Ono, K., Murakami, T. (Morioka, Japan) and Matumoto, M. (Tokyo, Japan)
A sensitive plaque assay for bovine rotavirus in cultures of the bovine cell line GBK . . . . . 383
Hirayama, N., *see* Takahashi, T. et al.
Hodgson, J.L., *see* Wickstrom, M.L. et al.
Hogg, A., *see* Rhodes, M.B. et al.
Hohdatsu, T., Eiguchi, Y., Ide, S., Baba, K., Yamagishi, H. (Chiba, Japan), Kume, T. (Aomori, Japan) and Matumoto, M. (Tokyo, Japan)
Evaluation of an enzyme-linked immunosorbent assay for the detection of transmissible gastroenteritis virus antibodies . . . . . 93
Howard, C.J., Brownlie, J. and Clarke, M.C. (Newbury, Gt. Britain)
Comparison by the neutralisation assay of pairs of non-cytopathogenic and cytopathogenic strains of bovine virus diarrhoea virus isolated from cases of mucosal disease . . . . . 361
Howard, C.J., *see* Thomas, L.H. et al.
Ide, S., *see* Hohdatsu, T. et al.
Iglewski, B.H., *see* Elsheikh, L.E. et al.
Isayama, Y., *see* Nakazawa, M. et al.
Jurák, E., *see* Rodák, L. et al.
Kamp, E.M., van der Heijden, P.J. and Tetenburg, B.J. (Lelystad, The Netherlands)
Purification of a heat labile dermonecrotic toxin from culture fluid of *Pasteurella multocida* . . . . . 235
Kamp, E.M., Popma, J.K. and van Leengoed, L.A.M.G. (Lelystad, The Netherlands)
Serotyping of *Haemophilus pleuropneumoniae* in The Netherlands: with emphasis on heterogeneity within serotype 1 and (proposed) serotype 9 . . . . . 249

Karlsson, K.-A., *see* Rivera, E. et al.
Kashiwazaki, M., *see* Nakazawa, M. et al.
Katz, J.B., Ludemann, L., Pemberton, J. and Schmerr, M.J. (Ames, IA, U.S.A.)
Detection of bovine diarrhea virus in cell culture using an immuno-peroxidase technique . . . . . 153
Kishima, M., Kuniyasu, C., Eguchi, M. (Hokkaido, Japan) and Nakagawa, M. (Tokyo, Japan)
Humoral immune response to non-viable *Mycoplasma pulmonis* in mice enhanced by dextran sulfate . . . . . 335
Kronevi, T., *see* Elsheikh, L.E. et al.
Kudo, Y., Yanagawa, R. (Sapporo, Japan) and Hiramune, T. (Ebetsu, Japan)
Isolation and characterization of monoclonal antibodies against pili of *Corynebacterium renale* and *Corynebacterium pilosum*. . . . . 75
Kume, T., *see* Hohdatsu, T. et al.
Kuniyasu, C., *see* Kishima, M. et al.
Lee, R., *see* Wickstrom, M.L. et al.
Lehmkuhl, H.D., *see* Cutlip, R.C. et al.
Liprandi, F., García, D., Gorziglia, M., Esparza, J., Cavazza, M.-E., Pérez-Schael, I. (Caracas, Venezuela) and Botero, L. (Maracaibo, Venezuela)
Characterization of rotaviruses isolated from pigs with diarrhoea in Venezuela . . . . . 35
Liprandi, F., *see* García, D. et al.
Livingston, C., Jr., *see* McConnell, S. et al.
Ludemann, L., *see* Katz, J.B. et al.
Lussier, G., *see* Trudel, M. et al.

U

Maheshwari, R.K., *see* Panigrahi, P. et al.
Matumoto, M., *see* Hirano, N. et al.
*see* Hohdatsu, T. et al.
McConnell, S., Crandell, R.A. (College Sgation, TX, U.S.A.), Livingston, C., Jr. (San Angelo, TX, U.S.A.) and Calisher, C.H. (Fort Collins, CO, U.S.A.)
Isolations of Cache Valley virus in Texas, 1981 . . . . . 11
McFerran, J.B., *see* Adair, B.M. and McFerran, J.B.
Meder, M., *see* Mocsári, E. et al.
Mocsári, E., Tóth, Cs., Meder, M., Sághy, E. and Glávits, R. (Budapest, Hungary)
Aujeszky's disease of sheep: experimental studies on the excretion and horizontal transmission of the virus. . . . . 353
Mohanty, S.B., *see* Panigrahi, P. et al.
Murakami, T., *see* Hirano, N. et al.
Muramatsu, M., *see* Takahashi, T. et al.
Nadon, F., *see* Trudel, M. et al.
Nakagawa, M., *see* Kishima, M. et al.
Nakazawa, M., Sugimoto, C., Isayama, Y. and Kashiwazaki, M. (Ibaraki, Japan)
Virulence factors in *Escherichia coli* isolated from piglets with neonatal and post-weaning diarrhea in Japan. . . . . 291
Napthine, P., *see* Edwards, S. et al.
New, C.W., Jr., *see* Rhodes, M.B. et al.
Norcross, N.L., *see* Opdebeeck, J.P. et al.
Nunoya, T., Tajima, M. and Yagihashi, T. (Tokyo, Japan)
Decrease in catalase activity of cultured cells by *Mycoplasma gallisepticum* infection . . . . . 343
O'Boyle, D., *see* Opdebeeck, J.P. et al.
O'Brien, J.K. and Duffus, W.P.H. (Cambridge, Gt. Britain)
*Pasteurella haemolytica* cytotoxin: relative susceptibility of bovine leucocytes . . . . . 321

Ono, K., *see* Hirano, N. et al.
Opdebeeck, J.P., Frost, A.J., O'Boyle, D. (St. Lucia, Brisbane, Australia) and Norcross, N.L. (Ithaca, NY, U.S.A.)
The expression of capsule in serum-soft agar by *Staphylococcus aureus* isolated from bovine mastitis . . . . . 225
Paniagua, C., *see* Suarez, S. et al.
Panigrahi, P., Mohanty, S.B. (College Park, MD, U.S.A.), Maheshwari, R.K. and Friedman, R.M. (Bethesda, MD, U.S.A.)
Structural proteins of bovine parainfluenza-3 virus. . . . . 205
Parma, A.E., *see* Cerone, S.I. et al.
Parsons, K.R., *see* Thomas, L.H. et al.
Pemberton, J., *see* Katz, J.B. et al.
Pérez-Schael, I., *see* Liprandi, F. et al.
Pocock, D.H. (Newbury, Gt. Britain)
Characterisation of rotavirus isolates from sub-clinically infected calves by genome profile analysis. . . . . 27
Popma, J.K., *see* Kamp, E.M. et al.
Rainard, P. (Nouzilly, France)
Bacteriostatic activity of bovine lactoferrin in mastitic milk. . . . . 159
Rhodes, M.B., New, C.W., Jr., Baker, P.K., Hogg, A. and Underdahl, N.R. (Lincoln, NE, U.S.A.)
*Bordetella bronchiseptica* and toxigenic Type D *Pasteurella multocida* as agents of severe atrophic rhinitis of swine. . . . . 179
Rivera, E., Karlsson, K.-A. and Bergman, R. (Uppsala, Sweden)
The propagation of feline panleukopenia virus in microcarrier cell culture and use of the inactivated virus in the protection of mink against viral enteritis. . . . . 371
Rodák, L., Šmíd, B., Valíček, L. and Jurák, E. (Brno, Czechoslovakia)
Four-layer enzyme immunoassay (EIA) detection of differences in IgG, IgM and IgG antibody response to Aujeszky's disease virus in infected and vaccinated pigs . . . . . 121
Rubio, P., *see* Suarez, S. et al.
Rumschlag, H.S. and Boyce, J.R. (West Lafayette, IN, U.S.A.)
Plasmid profile analysis of salmonellae in a large-animal hospital. . . . . 301
Sághy, E., *see* Mocsári, E. et al.
Santisteban, C.G., *see* Cerone, S.I. et al.
Sato, F., *see* Hirano, N. et al.
Sawada, T., *see* Takahashi, T. et al.
Schaeffer, D., *see* Wickstrom, M.L. et al.
Schmerr, M.J., *see* Katz, J.B. et al.
Schmerr, M.J.F., *see* Cutlip, R.C. et al.
Séguin, C., *see* Trudel, M. et al.
Šmíd, B., *see* Rodák, L. et al.
Sompolinsky, D., *see* Boldur, I. et al.
Sriranganathan, N. and Burger, D. (Pullman, WA, U.S.A.)
Heat-stable ($ST_a$) enterotoxin of enterotoxigenic *Escherichia coli*: binding of the enterotoxin to coagulated milk and casein. . . . . 167
Suarez, S., Paniagua, C., Alvarez, M. and Rubio, P. (León, Spain)
Features of enterotoxigenic *Escherichia coli* strains of porcine origin that express K88 and 987P fimbrial antigens. . . . . 65
Sugimoto, C., *see* Nakazawa, M. et al.
Tajima, M., *see* Nunoya, T. et al.
Takahashi, T., Hirayama, N., Swada, T., Tamura, Y., Muramatsu, M. (Tokyo, Japan)

Correlation between adherence of *Erysipelothrix rhusiopathiae* strains of serovar 1a to tissue culture cells originated from porcine kidney and their pathogenicity in mice and swine . . . . . 57
Tamarin-Landau, R., *see* Boldur, I. et al.
Tamura, Y., *see* Takahashi, T. et al.
Terpstra, C. and Wensvoort, G. (Lelystad, The Netherlands)
Influence of the vaccination regime on the herd immune response for swine fever . . . . . 143
Tetenburg, B.J., *see* Kamp, E.M. et al.
Thomas, L.H., Howard, C.J., Parsons, K.R. and Anger, H.S. (Newbury, Gt. Britain)
Growth of *Mycoplasma bovis* in organ cultures of bovine foetal trachea and comparison with *Mycoplasma dispar* . . . . . 189
Tóth, Cs., *see* Moscári, E. et al.
Trépanier, P., *see* Trudel, M. et al.
Trudel, M., Séguin, C., Nadon, F., Boulay, G., Trépanier, P. and Lussier, G. (Ville de Laval, Que., Canada)
Hemagglutination inhibition and virus neutralizing response of rabbits inoculated with bovine herpesvirus 1 subunit vaccine . . . . . 107
Underdahl, N.R., *see* Rhodes, M.B. et al.
Urbina, G., *see* García, D. et al.
Valíček, L., *see* Rodák, L. et al.
Van der Heijden, P.J., *see* Kamp, E.M. et al.
Van Leengoed, L.A.M.G., *see* Kamp, E.M. et al.
Wensvoort, G., *see* Terpstra, C. and Wensvoort, G.
Wickstrom, M.L., Gay, C.C., Hodgson, J.L., Widders, P.R., Schaeffer, D., Lee, R. and Corbeil, L.B. (Pullman, WA, U.S.A.)
Cross-reactive antibody in immunity to colisepticemia in calves . . . . . 259
Widders, P.R., *see* Wickstrom, M.L. et al.
Wretlind, B., *see* Elsheikh, L.E. et al.
Yagihashi, T., *see* Nunoya, T. et al.
Yamagishi, H., *see* Hohdatsu, T. et al.
Yanagawa, R., *see* Kudo, Y. et al.

## SUBJECT INDEX

Adhesion
Correlation between adherence of *Erysipelothrix rhusiopathiae* strains of serovar 1a to tissue culture cells originated from porcine kidney and their pathogenicity in mice and swine . . . . . 57
Antelope
Isolation of *Legionella pneumophila* from calves and the prevalence of antibodies in cattle, sheep, horses, antelopes, buffaloes and rabbits . . . . . 313
Aujeszky's disease
Aujeszky's disease of sheep: experimental studies on the excretion and horizontal transmission of the virus. . . . . 353
Four-layer enzyme immunoassay (EIA) detection of differences in IgG, IgM and IgA antibody response to Aujeszky's disease virus in infected and vaccinated pigs . . . . . 121
Bacteriology
Assessment of elastase as a *Pseudomonas aeruginosa* virulence factor in experimental lung infection in mink . . . . . 281
Bacteriostatic activity of bovine lactoferrin in mastitic milk. . . . . 159
*Bordetella bronchiseptica* and toxigenic Type D *Pasteurella multocida* as agents of severe atrophic rhinitis of swine. . . . . 179
Correlation between adherence of *Erysipelothrix rhusiopathiae* strains of serovar 1a to tissue culture cells originated from porcine kidney and their pathogenicity in mice and swine. . . . . 57
Cross-reactive antibody in immunity to colisepticemia in calves . . . . . 259
Decrease in catalase activity of cultured cells by *Mycoplasma gallisepticum* infection . . . . . 343
Features of enterotoxigenic *Escherichia coli* strains of porcine origin that express K88 and 987P fimbrial antigens. . . . . 65
Growth of *Mycoplasma bovis* in organ cultures of bovine foetal trachea and comparison with *Mycoplasma dispar* . . . . . 189
Heat-stable ($ST_a$) enterotoxin of enterotoxigenic *Escherichia coli*: binding of the enterotoxin to coagulated milk and casein. . . . . 167
Humoral immune response to non-viable *Mycoplasma pulmonis* in mice enhanced by dextran sulfate . . . . . 335
Isolation and characterization of monoclonal antibodies against pili of *Corynebacterium renale* and *Corynebacterium pilosum*. . . . . 75
Isolation and Identification of Micro-organisms of Medical and Veterinary Importance (Book Review) . . . . . 99
Isolation of *Legionella pneumophila* from calves and the prevalence of antibodies in cattle, sheep, horses, antelopes, buffaloes and rabbits. . . . . 313
Kinetic analysis of cattle anti-*Brucella abortus* S45/20 non-agglutinating antibodies in antibody-dependent cell-mediated cytotoxicity. . . . . 273
*Pasteurella haemolytica* cytotoxin: relative susceptibility of bovine leucocytes . . . . . 321
Plasmid profile analysis of salmonellae in a large-animal hospital . . . . . 301
Preliminary characterization of *Escherichia coli* isolated from pigs with diarrhoea in Venezuela . . . . . 47
Purification of a heat labile dermonecrotic toxin from culture fluid of *Pasteurella multocida* . . . . . 235
Serotyping of *Haemophilus pleuropneumoniae* in The Netherlands: with emphasis on heterogeneity within serotype 1 and (proposed) serotype 9. . . . . 249

The expression of capsule in serum-soft agar by *Staphylococcus aureus* isolated from bovine mastitis . . . . . 225
Virulence factors in *Escherichia coli* isolated from piglets with neonatal and post-weaning diarrhea in Japan. . . . . 291
Bacteriostasis
Bacteriostatic activity of bovine lactoferrin in mastitic milk. . . . . 159
*Bordetella bronchiseptica*
*Bordetella bronchiseptica* and toxigenic Type D *Pasteurella multocida* as agents of severe atrophic rhinitis of swine. . . . . 179
Bovine ephemeral fever
Homologous and heterologous antibody reactions in sera from cattle naturally infected with bovine ephemeral fever group viruses . . . . . 1
Bovine respiratory syncytial virus
Differences in fluorescent antibody staining of bovine respiratory syncytial virus-infected cells by ovine and bovine sera . . . . . 87
Bovine virus diarrhoea
Comparison by the neutralisation assay of pairs of non-cytopathogenic and cytopathogenic strains of bovine virus diarrhoea virus from cases of mucosal disease. . . . . 361
Detection of bovine virus diarrhea virus in cell culture using an immuno-peroxidase technique . . . . . 153
*Brucella abortus*
Kinetic analysis of cattle anti-*Brucella abortus* S45/20 non-agglutinating antibodies in antibody-dependent cell-mediated cutotoxicity. . . . . 273
Buffalo
Isolation of *Legionella pneumophila* from calves and the prevalence of antibodies in cattle, sheep, antelopes, buffaloes and rabbits. . . . . 313
Bunyavirus
Isolations of Cache Valley virus in Texas, 1981 . . . . . 11
Cache Valley virus
Isolations of Cache Valley virus in Texas, 1981 . . . . . 11
Cat
The propagation of feline panleukopenia virus in microcarrier cell culture and use of the inactivated virus in the protection of mink against viral enteritis. . . . . 371
Catalase
Decrease in catalase activity of cultured cells by *Mycoplasma gallisepticum* infection . . . . . 343
Cattle
A comparison of three rapid diagnostic methods for the detection of rotavirus infection in calves . . . . . 19
A sensitive plaque assay for bovine rotavirus in cultures of the bovine cell line GBK . . . . . 383
Bacteriostatic activity of bovine lactoferrin in mastitic milk. . . . . 159
Characterisation of rotavirus isolates from sub-clinically infected calves by genome profile analysis. . . . . 27
Cross-reactive antibody in immunity to colisepticemia in calves . . . . . 259
Detection of bovine virus diarrhea virus in cell culture using an immuno-peroxidase technique . . . . . 153
Differences in fluorescent antibody staining of bovine respiratory syncytial virus-infected cells by ovine and bovine sera . . . . . 87
Growth of *Mycoplasma bovis* in organ cultures of bovine foetal trachea and comparison with *Mycoplasma dispar* . . . . . 189
Highly sensitive antigen detection procedures for the diagnosis of infectious bovine rhinotracheitis: amplified ELISA and reverse passive haemagglutination. . . 135

Homologous and heterologous antibody reactions in sera from cattle naturally infected with bovine ephemeral fever group viruses . . . . . 1
Isolations of Cache Valley virus in Texas, 1981 . . . . . 11
Isolation of *Legionella pneumophila* from calves and the prevalence of antibodies in cattle, sheep, horses, antelopes, buffaloes and rabbits . . . . . 313
Kinetic analysis of cattle anti-*Brucella abortus* S45/20 non-agglutinating antibodies in antibody-dependent cell-mediated cutotoxicity . . . . . 273
*Pasteurella haemolytica* cytotoxin: relative susceptibility of bovine leucocytes . . . . . 321
Structural proteins of bovine parainfluenza-3 virus. . . . . 205
The expression of capsule in serum-soft agar by *Staphylococcus aureus* isolated from bovine mastitis . . . . . 225

*Chlamydia psittaci*
Comparison of some ovine *Chlamydia psittaci* isolates by indirect immunofluorescence . . . . . 69

Colisepticemia
Cross-reactive antibody in immunity to colisepticemia in calves . . . . . 259

*Corynebacterium pilosum*
Isolation and characterization of monoclonal antibodies against pili of *Corynebacterium renale* and *Corynebacterium pilosum*. . . . . 75

*Corynebacterium renale*
Isolation and characterization of monoclonal antibodies against pili of *Corynebacterium renale* and *Corynebacterium pilosum*. . . . . 75

Cytoxicity
Kinetic analysis of cattle anti-*Brucella abortus* S45/20 non-agglutinating antibodies in antibody-dependent cell-mediated cytotoxicity . . . . . 273
*Pasteurella haemolytica* cytotoxin: relative susceptibility of bovine leucocytes . . . . . 321

Diagnostics
A comparison of three rapid diagnostic methods for the detection of rotavirus infection in calves . . . . . 19
A sensitive plaque assay for bovine rotavirus in cultures of the bovine cell line GBK . . . . . 383
Characterisation of rotavirus isolates from sub-clinically infected calves by genome profile analysis. . . . . 27
Characterization of rotavirus isolated from pigs with diarrhoea in Venezuela . . . . . 35
Comparison of some ovine *Chlamydia psittaci* isolates by indirect immunofluorescence . . . . . 69
Detection of bovine diarrhea virus in cell culture using an immunoperoxidase technique. . . . . 153
Evaluation of an enzyme-linked immunosorbent assay for the detection of transmissible gastroenteritis virus antibodies . . . . . 93
Highly sensitive antigen detection procedures for the diagnosis of infectious bovine rhinotracheitis: amplified ELISA and reverse passive haemagglutination. . . 135
Isolation and Identification of Micro-organisms of Medical and Veterinary Importance (Book Review) . . . . . 99
Serotyping of *Haemophilus pleuropneumoniae* in The Netherlands: with emphasis on heterogeneity within serotype 1 and (proposed) serotype 9. . . . . 249

Diarrhoea
Characterization of rotaviruses isolated from pigs with diarrhoea in Venezuela . . . . . 35
Comparison by the neutralisation assay of pairs of non-cytopathogenic and cytopathogenic strains of bovine virus diarrhoea virus from cases of mucosal

disease . . . 361
Detection of bovine virus diarrhea virus in cell culture using an immuno-peroxidase technique . . . 153
Preliminary characterization of *Escherichia coli* isolated from pigs with diarrhoea in Venezuela . . . 47
Virulence factors in *Escherichia coli* isolated from piglets with neonatal and post-weaning diarrhea in Japan . . . 291

Elastase
Assessment of elastase as a *Pseudomonas aeruginosa* virulence factor in experimental lung infection in mink . . . 281

Encapsulation
The expression of capsule in serum-soft agar by *Staphylococcus aureus* isolated from bovine mastitis . . . 225

Enteritis
The propagation of feline panleukopenia virus in microcarrier cell culture and use of the inactivated virus in the protection of mink against viral enteritis . . . 371

Epidemiology
Aujeszky's disease of sheep: experimental studies on the excretion and horizontal transmission of the virus . . . 353
Plasmid profile analysis of salmonellae in a large-animal hospital . . . 301

*Erysipelothrix rhusiopathiae*
Correlation between adherence of *Erysipelothrix rhusiopathiae* strains of serovar 1a to tissue culture cells originated from porcine kidney and their pathogenicity in mice and swine . . . 57

*Escherichia coli*
Bacteriostatic activity of bovine lactoferrin in mastitic milk . . . 159
Cross-reactive antibody in immunity to colisepticemia in calves . . . 259
Features of enterotoxigenic *Escherichia coli* strains of porcine origin that express K88 and 987P fimbrial antigens . . . 65
Heat-stable ($ST_a$) enterotoxin of enterotoxigenic *Escherichia coli*: binding of the enterotoxin to coagulated milk and casein . . . 167
Preliminary characterization of *Escherichia coli* isolated from pigs with diarrhoea in Venezuela . . . 47
Virulence factors in *Escherichia coli* isolated from piglets with neonatal and post-weaning diarrhea in Japan . . . 291

Feline panleukopenia virus
The propagation of feline panleukopenia virus in microcarrier cell culture and use of the inactivated virus in the protection of mink against viral enteritis . . . 371

Gastroenteritis
Evaluation of an enzyme-linked immunosorbent assay for the detection of transmissible gastroenteritis virus antibodies . . . 93

Genetics
Characterisation of rotavirus isolates from sub-clinically infected calves by genome profile analysis . . . 27

Goat
Isolations of Cache Valley virus in Texas, 1981 . . . 11

Haemagglutination
Haemagglutination inhibition and virus neutralizing response of rabbits inoculated with bovine herpesvirus 1 subunit vaccine . . . 107
Highly sensitive antigen detection procedures for the diagnosis of infectious bovine rhinotracheitis: amplified ELISA and reverse passive haemagglutination . . . 135

*Haemophilus pleuropneumoniae*
Serotyping of *Haemophilus pleuropneumoniae* in The Netherlands: with emphasis on heterogeneity within serotype 1 and (proposed) serotype 9 . . . 249

Herpesvirus
Hemagglutination inhibition and virus neutralizing response of rabbits inoculated with bovine herpesvirus 1 subunit vaccine . . . . . 107
Horse
Isolation of *Legionella pneumophila* from calves and the prevalence of antibodies in cattle, sheep, horses, antelopes, buffaloes and rabbits . . . . . 313
Immunology
Comparison by the neutralisation assay of pairs of non-cytopathogenic and cytopathogenic strains of bovine virus diarrhoea virus from cases of mucosal disease. . . . . 361
Cross-reactive antibody in immunity to colisepticemia in calves . . . . . 259
Features of enterotoxigenic *Escherichia coli* strains of porcine origin that express K88 and 987P fimbrial antigens. . . . . 65
Four-layer enzyme immunoassay (EIA) detection of differences in IgG, IgM and IgA antibody response to Aujeszky's disease virus in infected and vaccinated pigs . . . . . 121
Hemagglutination inhibition and virus neutralizing response of rabbits inoculated with bovine herpesvirus 1 subunit vaccine . . . . . 107
Highly sensitive antigen detection procedures for the diagnosis of infectious bovine rhinotracheitis: amplified ELISA and reverse passive haemagglutination. . . 135
Homologous and heterologous antibody reactions in sera from cattle naturally infected with bovine ephemeral fever group viruses . . . . . 1
Humoral immune response to non-viable *Mycoplasma pulmonis* in mice enhanced by dextran sulfate . . . . . 335
Influence of the vaccination regime on the herd immune response for swine fever. . . . . 143
Isolation and characterization of monoclonal antibodies against pili of *Corynebacterium renale* and *Corynebacterium pilosum*. . . . . 75
Isolation of *Legionella pneumophila* from calves and the prevalence of antibodies in cattle, sheep, horses, antelopes, buffaloes and rabbits . . . . . 313
Kinetic analysis of cattle anti-*Brucella abortus* S45/20 non-agglutinating antibodies in antibody-dependent cell-mediated cytotoxicity. . . . . 273
*Pasteurella haemolytica* cytotoxin: relative susceptibility of bovine leucocytes . . . . . 321
Serotyping of *Haemophilus pleuropneumoniae* in The Netherlands: with emphasis of heterogeneity within serotype 1 and (proposed) serotype 9. . . . . 249
Infectious bovine rhinotracheitis
Highly sensitive antigen detection procedures for the diagnosis of infectious bovine rhinotracheitis: amplified ELISA and reverse passive haemagglutination. . . 135
Irradiation
Ionising radiation has no influence on scrapie incubation period in mice . . . . . 211
Lactoferrin
Bacteriostatic activity of bovine lactoferrin in mastitic milk. . . . . 159
*Legionella pneumophila*
Isolation of *Legionella pneumophila* from calves and the prevalence of antibodies in cattle, sheep, horses, antelopes, buffaloes and rabbits . . . . . 313
Maedi-visna virus
Failure of experimental vaccines to protect against infection with ovine progressive pneumonia (maedi-visna) virus . . . . . 201
Mastitis
The expression of capsule in serum-soft agar by *Staphylococcus aureus* isolated from bovine mastitis . . . . . 225
Milk
Bacteriostatic activity of bovine lactoferrin in mastitic milk. . . . . 159

Heat-stable ($ST_a$) enterotoxin of enterotoxigenic *Escherichia coli*: binding of the enterotoxin to coagulated milk and casein. . . . . 167
Mink
Assessment of elastase as a *Pseudomonas aeruginosa* virulence factor in experimental lung infection in mink . . . . . 281
The propagation of feline panleukopenia virus in microcarrier cell culture and use of the inactivated virus in the protection of mink against viral enteritis. . . . . 371
Mouse
Correlation between adherence of *Erysipelothrix rhusiopathiae* strains of serovar 1a to tissue culture cells originated from porcine kidney and their pathogenicity in mice and swine. . . . . 57
Humoral immune response to non-viable *Mycoplasma pulmonis* in mice enhanced by dextran sulfate . . . . . 335
Ionising radiation has no influence on scrapie incubation period in mice . . . . . 211
Mucosal disease
Comparison by the neutralisation assay of pairs of non-cytopathogenic and cytopathogenic strains of bovine virus diarrhoea virus from cases of mucosal disease. . . . . 361
*Mycoplasma bovis*
Growth of *Mycoplasma bovis* in organ cultures of bovine foetal trachea and comparison with *Mycoplasma dispar* . . . . . 189
*Mycoplasma dispar*
Growth of *Mycoplasma bovis* in organ cultures of bovine foetal trachea and comparison with *Mycoplasma dispar* . . . . . 189
*Mycoplasma gallisepticum*
Decrease in catalase activity of cultured cells by *Mycoplasma gallisepticum* infection . . . . . 343
*Mycoplasma pulmonis*
Humoral immune response to non-viable *Mycoplasma pulmonis* in mice enhanced by dextran sulfate . . . . . 335
Parainfluenza
Structural proteins of bovine parainfluenza-3 virus. . . . . 205
Parvovirus
The propagation of feline panleukopenia virus in microcarrier cell culture and use of the inactivated virus in the protection of mink against viral enteritis. . . . . 371
*Pasteurella haemolytica*
*Pasteurella haemolytica* cytotoxin: relative susceptibility of bovine leucocytes . . . . . 321
*Pasteurella multocida*
*Bordetella bronchiseptica* and toxigenic Type D *Pasteurella multocida* as agents of severe atrophic rhinitis of swine. . . . . 179
Purification of a heat labile dermonecrotic toxin from culture fluid of *Pasteurella multocida* . . . . . 235
Pathogenicity
Growth of *Mycoplasma bovis* in organ cultures of bovine foetal trachea and comparison with *Mycoplasma dispar* . . . . . 189
Pig
*Bordetella bronchiseptica* and toxigenic Type D *Pasteurella multocida* as agents of severe atrophic rhinitis of swine. . . . . 179
Characterization of rotaviruses isolated from pigs with diarrhoea in Venezuela . . . . . 35
Correlation between adherence of *Erysipelothrix rhusiopathiae* strains of serovar 1a to tissue culture cells originated from porcine kidney and their pathogenicity in mice and swine. . . . . 57

Evaluation of an enzyme-linked immunosorbent assay for the detection of transmissible gastroenteritis virus antibodies . . . . . 93
Four-layer enzyme immunoassay (EIA) detection of differences in IgG, IgM and IgA antibody response to Aujeszky's disease virus in infected and vaccinated pigs . . . . . 121
Influence of the vaccination regime on the herd immune response for swine fever . . . . . 143
Preliminary characterization of *Escherichia coli* isolated from pigs with diarrhoea in Venezuela . . . . . 47
Virulence factors in *Escherichia coli* isolated from piglets with neonatal and post-weaning diarrhea in Japan. . . . . 291

Pneumonia
Failure of experimental vaccines to protect against infection with ovine progressive pneumonia (maedi-visna) virus . . . . . 201

Proteins
Structural proteins of bovine parainfluenza-3 virus. . . . . 205

*Pseudomonas aeruginosa*
Assessment of elastase as a *Pseudomonas aeruginosa* virulence factor in experimental lung infection in mink . . . . . 281

Rabbit
Hemagglutination inhibition and virus neutralizing response of rabbits inoculated with bovine herpesvirus 1 subunit vaccine . . . . . 107
Isolation of *Legionella pneumophila* from calves and the prevalence of antibodies in cattle, sheep, horses, antelopes, buffaloes and rabbits . . . . . 313

Rhinitis
*Bordetella bronchiseptica* and toxigenic Type D *Pasteurella multocida* as agents of severe atrophic rhinitis of swine. . . . . 179

Rotavirus
A comparison of three rapid diagnostic methods for the detection of rotavirus infection in calves . . . . . 19
A sensitive plaque assay for bovine rotavirus in cultures of the bovine cell line GBK . . . . . 383
Characterisation of rotavirus isolates from sub-clinically infected calves by genome profile analysis. . . . . 27
Characterization of rotaviruses isolated from pigs with diarrhoea in Venezuela . . . . . 35

*Salmonella* spp.
Plasmid profile analysis of salmonellae in a large-animal hospital . . . . . 301

Scrapie
Ionising radiation has no influence on scrapie incubation period in mice . . . . . 211

Sheep
Aujeszky's disease of sheep: experimental studies on the excretion and horizontal transmission of the virus. . . . . 353
Comparison of some ovine *Chlamydia psittaci* isolates by indirect immunofluorescence . . . . . 69
Differences in fluorescent antibody staining of bovine respiratory syncytial virus-infected cells by ovine and bovine sera . . . . . 87
Failure of experimental vaccines to protect against infection with ovine progressive pneumonia (maedi-visna) virus . . . . . 201
Isolations of Cache Valley virus in Texas, 1981 . . . . . 11
Isolation of *Legionella pneumophila* from calves and the prevalence of antibodies in cattle, sheep, horses, antelopes, buffaloes and rabbits . . . . . 313

*Staphylococcus aureus*
The expression of capsule in serum-soft agar by *Staphylococcus aureus* isolated from bovine mastitis . . . . . 225

Swine fever
Influence of the vaccination regime on the herd immune response for swine fever . . . 143
Techniques
A comparison of three rapid diagnostic methods for the detection of rotavirus infection in calves . . . 19
A sensitive plaque assay for bovine rotavirus in cultures of the bovine cell line GBK . . . 383
Characterisation of rotavirus isolates from sub-clinically infected calves by genome profile analysis. . . . 27
Comparison of some ovine *Chlamydia psittaci* isolates by indirect immunofluorescence . . . 69
Detection of bovine virus diarrhea virus in cell culture using an immunoperoxidase technique . . . 153
Differences in fluorescent antibody staining of bovine respiratory syncytial virus-infected cells by ovine and bovine sera . . . 87
Evaluation of an enzyme-linked immunosorbent assay for the detection of transmissible gastroenteritis virus antibodies . . . 93
Four-layer enzyme immunoassay (EIA) detection of differences in IgG, IgM and IgA antibody response to Aujeszky's disease virus in infected and vaccinated pigs . . . 121
Highly sensitive antigen detection procedures for the diagnosis of infectious bovine rhinotracheitis: amplified ELISA and reverse passive haemagglutination. . . 135
Plasmid profile analysis of salmonellae in a large-animal hospital . . . 301
Purification of a heat labile dermonecrotic toxin from culture fluid of *Pasteurella multocida* . . . 235
Toxins
Features of enterotoxigenic *Escherichia coli* strains of porcine origin that express K88 and 987P fimbrial antigens. . . . 65
Heat-stable ($ST_a$) enterotoxin of enterotoxigenic *Escherichia coli*: binding of the enterotoxin to coagulated milk and casein. . . . 167
Kinetic analysis of cattle anti-*Brucella abortus* S45/20 non-agglutinating antibodies in antibody-dependent cell-mediated cutotoxicity. . . . 273
*Pasteurella haemolytica* cytotoxin: relative susceptibility of bovine leucocytes . . . 321
Purification of a heat labile dermonecrotic toxin from culture fluid of *Pasteurella multocida* . . . 235
Virulence factors in *Escherichia coli* isolated from piglets with neonatal and post-weaning diarrhea in Japan. . . . 291
Vaccination
Failure of experimental vaccines to protect against infection with ovine progressive pneumonia (maedi-visna) virus . . . 201
Four-layer enzyme immunoassay (EIA) detection of differences in IgG, IgM and IgA antibody response to Aujeszky's disease virus in infected and vaccinated pigs . . . 121
Hemagglutination inhibition and virus neutralizing response of rabbits inoculated with bovine herpesvirus 1 subunit vaccine . . . 107
Humoral immune response to non-viable *Mycoplasma pulmonis* in mice enhanced by dextran sulfate . . . 335
Influence of the vaccination regime on the herd immune response for swine fever . . . 143
The propagation of feline panleukopenia virus in microcarrier cell culture and use of the inactivated virus in the protection of mink against viral enteritis. . . . 371

Virology

A comparison of three rapid diagnostic methods for the detection of rotavirus infection in calves . . . . . 19
A sensitive plaque assay for bovine rotavirus in cultures of the bovine cell line GBK . . . . . 383
Aujeszky's disease of sheep: experimental studies on the excretion and horizontal transmission of the virus. . . . . 353
Characterisation of rotavirus isolates from sub-clinically infected calves by genome profile analysis. . . . . 27
Characterization of rotaviruses isolated from pigs with diarrhoea in Venezuela . . . . . 35
Comparison by the neutralisation assay of pairs of non-cytopathogenic and cytopathogenic strains of bovine virus diarrhoea virus from cases of mucosal disease. . . . . 361
Detection of bovine virus diarrhea virus in cell culture using an immuno-peroxidase technique . . . . . 153
Differences in fluorescent antibody staining of bovine respiratory syncytial virus-infected cells by ovine and bovine sera . . . . . 87
Evaluation of an enzyme-linked immunosorbent assay for the detection of transmissible gastroenteritis virus antibodies . . . . . 93
Failure of experimental vaccines to protect against infection with ovine progressive pneumonia (maedi-visna) virus . . . . . 201
Four-layer enzyme immunoassay (EIA) detection of differences in IgG, IgM and IgA antibody response to Aujeszky's disease virus in infected and vaccinated pigs . . . . . 121
Hemagglutination inhibition and virus neutralizing response of rabbits inoculated with bovine herpesvirus 1 subunit vaccine . . . . . 107
Highly sensitive antigen detection procedures for the diagnosis of infectious bovine rhinotracheitis: amplified ELISA and reverse passive haemagglutination. . . 135
Homologous and heterologous antibody reactions in sera from cattle naturally infected with bovine ephemeral fever group viruses . . . . . 1
Influence of the vaccination regime on the herd immune response for swine fever . . . . . 143
Isolations of Cache Valley virus in Texas, 1981 . . . . . 11
Structural proteins of bovine parainfluenza-3 virus. . . . . 205
The propagation of feline panleukopenia virus in microcarrier cell culture and use of the inactivated virus in the protection of mink against viral enteritis. . . . . 371